

Evaluating Standard of Care Practice using PU Prevalance Peer Review																
4Q12	5N 4Q12	ICU 4Q12	5S 4Q12	NICU 4Q12	Peds 4Q12	SF ICU 4Q12	BBU	CVU	PH 4	PH 5	PH 7	PH 8	PH 9	PH 10	PH 11	PH CCU
# pt	16	3	23	28	1	3	3	24	18	17	14	16	22	12	19	14
% Skin Assess on Adm	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
% PU Assess on Adm	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
% Assess Q shift	81%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
# at Risk	9	1	6	28	0	1	2	6	11	5	11	12	4	2	3	12
% Prevention Standard of Care	88.9%	100%	100%	100%		100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
% Skin Assess	88.9%	100%	100%	100%		100%	100%	100%	100%	100%	18%	100%	100%	100%	100%	100%
% Pressure Redistr Surface	88.9%	100%	100%	100%		100%	100%	50%	84%	0%	36%	75%	75%	0%	100%	100%
% Routine Reposition	88.9%	100%	83%	100%		100%	100%	83%	93%	83%	27%	83%	100%	0%	100%	75%
%Nutritional Support	88.9%	100%	83%	100%		100%	100%	100%	100%	20%	27%	75%	75%	50%	100%	100%
%Moisture Mgt	88.9%	100%	100%	100%		100%	100%	100%	100%	100%	45%	92%	50%	50%	100%	100%
# HAC	1	0	0	0	0	0	1	7	0	3	0	0	0	0	0	0
Ear	St 2						St 1	6-St1		2 - St 1						
Cocccxy								1-St 1		1-DTE						
# UAC	1	0	0	0	0	0	1	7	0	3	0	0	0	0	0	0
Ear	St 2						St 1	6-St1		2 - St 1						
Cocccxy								1-St 1		1-DTE						