

# Porter Adventist Hospital



## **Frequently Asked Questions**

**Updated: April 10, 2018 10:32am**

### **I received notification that my results are available. How will they be shared with me?**

You will be contacted with your results within 14-30 days. Once you receive your results, please share them with your primary care physician.

### **What location do I need to go for testing?**

We have made arrangements for you to be seen by LabCorp, an independent network of clinical laboratories, to provide free blood testing. You may go to any LabCorp facility of your choice for this testing. You can go to any LabCorp location convenient to you, including out of state. A list of all LabCorp locations can be found at [www.LabCorp.com](http://www.LabCorp.com).

### **What do I need to prepare for my testing?**

At the time of testing, you will need to share the information you received in your letter with them. No fasting is required.

### **What does the testing entail?**

LabCorp will need to draw several vials of blood for testing. You will be notified of your results within 14-30 days of being tested. Should you need additional screenings, you will be contacted.

### **How will I know if my surgery has been cancelled or rescheduled due to the OR pause?**

Patients are being notified as quickly as possible of any schedule changes or delays.

### **What are the dates of patient notification?**

Orthopedic or spine surgery patients at Porter Adventist Hospital between July 21, 2016 and April 5, 2018 are receiving notifications.

### **What was the gap discovered in the process?**

The issue identified in our sterilization process revolved around the 1<sup>st</sup> step in a multi-step process. The 1st step is a pre-cleaning process that happens before instruments go through an intense heat sterilization, which is used to inactivate viruses.

### **If the risk is so low, why did you notify me?**

Although extremely low, there is a risk of surgical site infection or bloodborne pathogen transmission. We believe in transparency and accountability to ensure the safety and confidence in our patients' experiences at Porter.

### **How do I know if I have a surgical site infection?**

A surgical site infection typically presents itself within 30 days of surgery. In a very limited number of cases, symptoms may occur up to a year later if the surgery involved placement of a prosthetic implant. Signs of infection may include draining pus, pain, tenderness or redness at the site of the surgical wound, and should be reported to your physician.

### **What is my risk of HIV and Hepatitis?**

Our medical experts estimate the chance of getting an infection from bloodborne pathogens during surgery is extremely low. The suggested testing is simply a precaution.

### **What if I do test positive for HIV or Hepatitis?**

In the rare event that a patient tests positive for a bloodborne pathogen, there are many treatment options available. Your health care provider will discuss these with you in the unlikely event you receive a positive test result.

### **What kind of intimate relations is it safe to have with my partner while I wait for test results? Is it OK to have sex, kiss, hold hands, etc.?**

There are less risky behaviors such as kissing, hand holding, and hugging that do not pose a risk for transmission of disease. Human intimacy may not end at these activities, however, and there are methods to also prevent sexual transmission of disease:

Abstain from sex (this is not always an option).

Use protective barriers for oral, vaginal, and anal sex. Correct use of a protective barrier is recommended each time (condoms, dental dams, etc);

Limit or eliminate drug or alcohol use while waiting for test results (this could lower inhibitions).

Oral sex may pose a lower risk for disease transmission, there is still an opportunity for disease with repeated unprotected exposure. Correct use of a protective barrier is recommended each time.

### **Water quality: Are you concerned that additional patients are at risk?**

Patient safety is the top priority at Porter Adventist Hospital and we are monitoring this closely. On Thursday, April 5, in an abundance of caution, we made the decision to pause all surgeries after we noticed a potential change in our water quality relative to

our surgical equipment. At this time, we continue to maintain that the risk of infection to patients is extremely low.

**Is the water safe to drink and bath?**

Yes, it is. We are not aware of any risk to our patients.

**Is Porter Adventist Hospital open?**

Porter Adventist Hospital remains open. On Thursday, April 5, in an abundance of caution, we made the decision to pause all surgeries after we noticed a potential change in our water quality relative to our surgical equipment.

**Is the Emergency Room open?**

We are prepared to treat any emergency.

**How do I know this won't occur if I come to your hospital again?**

We have acted to remedy the gap discovered, and recent survey results released by the Joint Commission and the CDPHE, which accredits hospitals in the United States, revealed no errors in our processes or protocols.